

# **Improved methods for PCA-based reconstructions: case study using the Steig *et al.* (2009) Antarctic temperature reconstruction**

## **Supporting Information**

Ryan O'Donnell  
Mattawan, Michigan

Nicholas Lewis  
Bath, United Kingdom

Steve McIntyre  
Toronto, Canada

Jeff Condon  
Chicago, Illinois

## S1. Replication of S09




FIG. S1. S09 replication. Top three panels: S09. Middle 3 panels: Replication effort. Bottom panel: Monthly means for the S09 reconstruction, with the blue line indicating the difference between the replication and S09.

## S2. Geographic boundaries

For our study, we define the following regions in Antarctica:

- Peninsula: The portion of West Antarctica that lies north of a line between Cape Adams and the mainland south of the Eklund Islands.
- West Antarctica: The portion of the continent to the west of the Transantarctic Mountains, including the Ross Sea and excluding the Peninsula.
- East Antarctica: The remainder of the continent.




FIG. S2. Geographic masks for this study (left) vs. S09 (right).

### S3. Ground station metadata

TABLE S1. Ground station names, colors for Figs. 2 and 8, locations, and usage in S09 and this study. Symbols in the usage columns correspond to the symbols in Fig. 1 of the main text.

Name	Lat	Lon	Record Length (Months)	S09 Predictor	Predictor (This study)	Verification Only (This study)
<i>Manned Ground Stations</i>						
■ Adelaide	-67.8	292.1	152	○		Δ
■ Amundsen Scott	-90.0	0.0	600	○	+	
■ Arturo Prat	-62.5	300.3	423	○	+	
■ Asuka	-78.0	24.1	58	○		Δ
■ Belgrano I	-78.0	321.2	273	○	+	
■ Belgrano II	-77.9	325.4	128	○	+	
■ Byrd	-80.0	240.0	177	○	+	
■ Campbell	-52.0	169.0	368	○		
■ Casey	-66.3	110.5	575	○	+	
■ Davis	-68.6	78.0	547	○	+	
■ Deception	-63.0	299.3	107	○		Δ
■ Dumont Durville	-66.7	140.0	584	○	+	
■ Esperanza	-63.4	303.0	475	○	+	
■ Faraday	-65.4	295.6	600	○	+	
■ Ferraz	-62.1	301.6	186	○		
■ Great Wall	-62.2	301.0	258	○		
■ Grytviken	-54.3	323.5	418	○		
■ Halley	-75.5	333.6	600	○	+	
■ Jubany	-62.2	301.4	157	○		
■ King Sejong	-62.2	301.3	169	○		
■ Leningradskaja	-69.5	159.4	240	○	+	
■ Macquarie	-54.5	158.9	580	○		
■ Marambio	-64.2	303.3	415	○	+	
■ Mario Zucchelli	-74.7	164.1	192	○	+	
■ Marsh	-62.4	301.1	358	○		
■ Mawson	-67.6	62.9	600	○	+	
■ McMurdo	-77.9	166.7	577	○	+	
■ Mirny	-66.5	93.0	600	○	+	
■ Molodeznaja	-67.7	45.9	437	○	+	
■ Neumayer	-70.7	351.6	308	○	+	
■ Novolazarevskaya	-70.8	11.8	549	○	+	
■ O'Higgins	-63.3	302.1	492	○	+	

TABLE S1. Continued.

Name	Lat	Lon	Record Length (Months)	S09 Predictor	Predictor (This study)	Verification Only (This study)
■ Orcadas	-60.7	315.3	551	○		
■ Rothera	-67.5	291.9	356	○	+	
■ Russkaya	-74.8	223.1	119	○	+	
■ San Martin	-68.1	292.9	203	○	+	
■ Scott Base	-77.9	166.7	596	○	+	
■ Signy	-60.7	314.4	468	○		
■ Syowa	-69.0	39.6	535	○	+	
■ Vostok	-78.5	106.9	540	○	+	
■ Zhongshan	-69.4	76.4	167	○	+	
<i>AWS Stations</i>						
■ Bonaparte Point	-64.8	295.9	95			Δ
■ Butler Island	-72.2	299.8	176		+	
■ Byrd	-80.0	240.6	187		+	
■ Cape Denison	-67.0	142.7	70			Δ
■ Cape King	-73.6	166.6	201		+	
■ Cape Phillips	-73.1	169.6	151		+	
■ Cape Ross	-76.7	163.0	169		+	
■ Clean Air	-90.0	0.0	192		+	
■ D10	-66.7	139.8	162		+	
■ D47	-67.4	138.7	50			Δ
■ D57	-68.1	137.5	37			Δ
■ D80	-70.0	134.9	32			Δ
■ Dome C II	-75.1	123.4	93			Δ
■ Doug	-82.3	246.8	51			Δ
■ Drescher	-72.9	341.0	108		+	
■ Elaine	-83.1	174.2	151		+	
■ Elizabeth	-82.6	222.9	70			Δ
■ Enigma Lake	-74.7	164.0	126		+	
■ Erin	-84.9	231.2	62		+	
■ Ferrell	-77.9	170.8	204		+	
■ GC41	-71.6	111.3	177		+	
■ GEO3	-68.7	61.1	84			Δ
■ GF08	-68.5	102.1	133		+	
■ Gill	-80.0	181.4	193		+	
■ Harry	-83.0	238.6	66			Δ
■ Henry	-89.0	359.0	109		+	
■ LGB10	-71.3	59.2	75			Δ
■ LGB20	-73.8	55.7	136		+	

TABLE S1. Continued.

Name	Lat	Lon	Record Length (Months)	S09 Predictor	Predictor (This study)	Verification Only (This study)
■LGB35	-76.0	65.0	151		+	
■LGB59	-73.5	76.8	95			Δ
■Larsen Ice Shelf	-66.9	299.1	129		+	
■Law Dome Summit	-66.7	112.7	89			Δ
■Lettau	-82.5	185.6	149		+	
■Limbert	-75.4	300.1	63			Δ
■Linda	-78.5	168.4	112		+	
■Lynn	-74.2	160.4	83			Δ
■Manuela	-74.9	163.7	222		+	
■Marble Point	-77.4	163.7	266		+	
■Marilyn	-80.0	165.1	152		+	
■Minna Bluff	-78.6	166.7	110		+	
■Mount Siple	-73.2	232.9	140		+	
■Nansen Ice Sheet	-74.8	163.3	163		+	
■Nico	-89.0	89.7	120		+	
■Pegasus North	-77.9	166.5	115		+	
■Pegasus South	-78.0	166.6	136		+	
■Penguin Point	-67.6	146.2	66			Δ
■Port Martin	-66.8	141.4	82			Δ
■Priestley Glacier	-74.3	163.2	176		+	
■Relay Station	-74.0	43.1	103		+	
■Santa Claus Island	-65.0	294.3	43			Δ
■Schwerdtfeger	-79.9	170.0	201		+	
■Siple	-75.9	276.0	85			Δ
■Sutton	-67.1	141.4	26			Δ
■Theresa	-84.6	244.2	74			Δ
■Tourmaline Plateau	-74.1	163.4	166		+	
■Uranus Glacier	-71.4	291.1	119		+	

## S4. Full reconstruction statistics (no predictors withheld)

TABLE S2. Station-by-station results for rms error ( $\mu_{rms}$ ), correlation coefficient ( $r$ ), and average explained variance ( $R^2$ ) when no predictors are withheld for verification. Stations not used as predictors in this study are italicized. Colors as in Table S1.

Name	$\mu_{rms}$			$r$			$R^2$		
	RLS	E-W	S09	RLS	E-W	S09	RLS	E-W	S09
<i>Manned Ground Stations</i>									
■ Adelaide	1.30	1.62	2.10	0.87	0.76	0.66	0.72	0.57	0.27
■ Amundsen Scott	0.38	1.12	1.92	0.99	0.89	0.60	0.97	0.78	0.35
■ Arturo Prat	0.43	0.95	1.56	0.96	0.82	0.34	0.93	0.67	0.10
■ Asuka	1.00	1.16	1.29	0.78	0.70	0.59	0.61	0.48	0.35
■ Belgrano I	0.57	1.78	3.11	0.99	0.95	0.58	0.97	0.73	0.18
■ Belgrano II	0.55	1.04	1.46	0.95	0.82	0.50	0.89	0.61	0.23
■ Byrd	1.26	0.72	2.28	0.95	0.99	0.70	0.82	0.94	0.44
■ Campbell <sup>a</sup>	-	-	-	-	-	-	-	-	-
■ Casey	0.48	1.37	1.75	0.98	0.86	0.62	0.95	0.61	0.38
■ Davis	0.32	1.04	1.62	0.99	0.91	0.68	0.98	0.77	0.44
■ Deception <sup>a</sup>	0.76	1.60	1.61	0.90	0.60	0.54	0.81	0.19	0.18
■ Dumont Durville	0.38	0.96	1.44	0.98	0.88	0.58	0.95	0.70	0.33
■ Esperanza	0.41	0.87	2.43	0.99	0.94	0.39	0.97	0.88	0.09
■ Faraday	0.64	1.31	2.25	0.97	0.86	0.36	0.93	0.70	0.12
■ Ferraz <sup>a</sup>	-	-	-	-	-	-	-	-	-
■ Great Wall <sup>a</sup>	-	-	-	-	-	-	-	-	-
■ Grytviken <sup>a</sup>	-	-	-	-	-	-	-	-	-
■ Halley	0.64	1.83	2.49	0.99	0.86	0.37	0.94	0.49	0.12
■ Jubany <sup>a</sup>	-	-	-	-	-	-	-	-	-
■ King Sejong <sup>a</sup>	-	-	-	-	-	-	-	-	-
■ Leningradskaja	0.34	1.01	1.35	0.99	0.79	0.62	0.96	0.44	0.31
■ Macquarie	-	-	-	-	-	-	-	-	-
■ Marambio	0.50	1.24	2.89	0.99	0.92	0.28	0.97	0.83	0.06
■ Mario Zucchelli	0.68	1.04	1.58	0.93	0.83	0.49	0.86	0.66	0.23
■ Marsh <sup>a</sup>	-	-	-	-	-	-	-	-	-
■ Mawson	0.37	1.05	1.44	0.99	0.88	0.71	0.96	0.71	0.45
■ McMurdo	0.82	1.18	1.85	0.95	0.87	0.68	0.88	0.76	0.41
■ Mirny	0.36	1.39	1.46	0.99	0.73	0.75	0.97	0.53	0.48
■ Molodeznaja	0.34	1.16	1.32	0.98	0.70	0.58	0.96	0.49	0.34
■ Neumayer	0.55	1.73	2.05	0.99	0.79	0.46	0.99	0.44	0.21

TABLE S2. Continued.

Name	$\mu_{rms}$			$r$			$R^2$		
	RLS	E-W	S09	RLS	E-W	S09	RLS	E-W	S09
■ Novolazarevskaya	0.35	0.97	1.41	0.99	0.93	0.63	0.96	0.70	0.37
■ O'Higgins	0.44	0.86	1.59	0.97	0.86	0.34	0.93	0.73	0.09
■ Orcadas <sup>a</sup>	-	-	-	-	-	-	-	-	-
■ Rothera	0.70	1.34	2.38	0.97	0.88	0.18	0.92	0.69	0.03
■ Russkaya	0.66	1.93	2.34	0.99	0.86	0.68	0.95	0.58	0.38
■ San Martin	0.61	1.87	2.22	0.96	0.57	0.17	0.93	0.30	0.01
■ Scott Base	0.33	1.16	2.08	0.99	0.92	0.68	0.98	0.81	0.39
■ Signy <sup>a</sup>	-	-	-	-	-	-	-	-	-
■ Syowa	0.33	0.98	1.52	0.99	0.84	0.52	0.97	0.69	0.27
■ Vostok	0.27	1.18	1.63	0.99	0.89	0.74	0.99	0.76	0.54
■ Zhongshan	0.43	1.24	1.73	0.98	0.88	0.63	0.96	0.68	0.39

AWS Stations

■ Bonaparte Point	0.71	0.86	1.44	0.87	0.78	0.21	0.73	0.61	-0.10
■ Butler Island	0.44	1.97	2.45	0.99	0.77	0.44	0.97	0.48	0.19
■ Byrd	1.32	2.07	2.46	0.97	0.86	0.68	0.83	0.60	0.42
■ Cape Denison	0.86	0.82	1.17	0.77	0.79	0.56	0.58	0.61	0.21
■ Cape King	0.29	0.77	1.44	0.99	0.93	0.60	0.97	0.82	0.37
■ Cape Phillips	0.48	0.80	1.42	0.96	0.89	0.53	0.92	0.77	0.28
■ Cape Ross	0.58	1.01	1.68	0.96	0.86	0.54	0.91	0.74	0.28
■ Clean Air	0.47	1.08	1.90	0.98	0.90	0.60	0.96	0.79	0.35
■ D10	0.49	1.13	1.56	0.97	0.87	0.63	0.94	0.69	0.40
■ D47	1.17	1.24	1.53	0.80	0.73	0.57	0.58	0.53	0.29
■ D57	1.37	1.46	1.81	0.73	0.68	0.46	0.52	0.45	0.16
■ D80	1.47	1.70	1.83	0.85	0.81	0.74	0.71	0.61	0.55
■ Dome C II	1.64	1.62	1.65	0.72	0.69	0.70	0.45	0.46	0.44
■ Doug	1.21	1.51	1.60	0.85	0.76	0.71	0.71	0.55	0.50
■ Drescher	0.47	1.61	2.07	0.99	0.86	0.50	0.96	0.54	0.24
■ Elaine	0.55	2.33	3.05	0.99	0.86	0.56	0.98	0.60	0.31
■ Elizabeth	1.54	1.72	2.38	0.86	0.87	0.58	0.72	0.65	0.33
■ Enigma Lake	0.50	0.93	1.47	0.96	0.86	0.55	0.92	0.72	0.29
■ Erin	0.40	1.24	1.68	0.98	0.84	0.59	0.96	0.64	0.34
■ Ferrell	0.57	1.35	2.25	0.98	0.94	0.69	0.96	0.80	0.43
■ GC41	0.35	2.44	3.06	0.99	0.76	0.48	0.99	0.50	0.22
■ GEO3	1.16	1.32	1.58	0.87	0.83	0.72	0.74	0.66	0.52
■ GF08	0.43	1.51	1.63	0.99	0.87	0.78	0.97	0.63	0.57
■ Gill	0.31	1.79	2.66	0.99	0.93	0.68	0.99	0.74	0.42
■ Harry	1.29	1.46	1.90	0.85	0.82	0.61	0.71	0.63	0.37
■ Henry	0.22	1.04	1.48	0.99	0.91	0.74	0.99	0.77	0.52

TABLE S2. Continued.

Name	$\mu_{rms}$			$r$			$R^2$		
	RLS	E-W	S09	RLS	E-W	S09	RLS	E-W	S09
■ <i>LGB10</i>	0.90	1.33	1.42	0.89	0.75	0.72	0.80	0.55	0.49
■ <i>LGB20</i>	0.33	1.15	1.31	0.99	0.84	0.78	0.98	0.70	0.61
■ <i>LGB35</i>	0.34	1.12	1.44	0.99	0.85	0.72	0.97	0.70	0.49
■ <i>LGB59</i>	1.23	1.32	1.49	0.78	0.75	0.64	0.54	0.46	0.33
■ <i>Larsen Ice Shelf</i>	0.34	1.91	2.48	0.99	0.67	0.26	0.98	0.44	0.07
■ <i>Law Dome Sum.</i>	1.18	1.40	1.70	0.84	0.81	0.62	0.70	0.57	0.37
■ <i>Lettau</i>	0.28	1.93	2.90	0.99	0.93	0.62	0.99	0.72	0.36
■ <i>Limbert</i>	1.42	1.88	2.21	0.82	0.69	0.45	0.67	0.42	0.20
■ <i>Linda</i>	0.75	1.48	2.33	0.97	0.90	0.62	0.93	0.73	0.36
■ <i>Lynn</i>	1.27	1.04	1.47	0.78	0.87	0.70	0.61	0.74	0.49
■ <i>Manuela</i>	0.45	0.85	1.33	0.96	0.87	0.63	0.93	0.74	0.37
■ <i>Marble Point</i>	0.39	0.90	1.82	0.98	0.94	0.59	0.97	0.84	0.34
■ <i>Marilyn</i>	0.57	1.30	2.03	0.98	0.90	0.58	0.95	0.73	0.34
■ <i>Minna Bluff</i>	0.98	1.19	1.62	0.89	0.80	0.57	0.75	0.63	0.31
■ <i>Mount Siple</i>	0.40	1.35	1.60	0.99	0.80	0.66	0.96	0.59	0.42
■ <i>Nansen Ice Sheet</i>	0.60	0.92	1.44	0.95	0.89	0.63	0.89	0.75	0.39
■ <i>Nico</i>	0.14	0.77	1.64	0.99	0.93	0.66	0.99	0.86	0.36
■ <i>Pegasus North</i>	0.62	1.16	1.99	0.97	0.91	0.58	0.93	0.77	0.33
■ <i>Pegasus South</i>	0.77	1.38	2.28	0.97	0.91	0.59	0.92	0.75	0.32
■ <i>Penguin Point</i>	0.99	0.97	1.34	0.78	0.87	0.53	0.58	0.74	0.24
■ <i>Port Martin</i>	0.77	0.83	1.07	0.86	0.85	0.67	0.71	0.66	0.44
■ <i>Priestley Glacier</i>	0.58	0.87	1.41	0.94	0.88	0.57	0.89	0.75	0.33
■ <i>Relay Station</i>	0.20	1.30	1.48	0.99	0.82	0.75	0.99	0.66	0.56
■ <i>Santa Claus Isl.</i>	0.84	0.81	1.19	0.81	0.76	0.33	0.55	0.58	0.10
■ <i>Schwerdtfeger</i>	0.50	1.57	2.45	0.99	0.91	0.57	0.97	0.72	0.32
■ <i>Siple</i>	2.22	1.97	1.76	0.41	0.57	0.70	0.11	0.30	0.44
■ <i>Sutton</i>	1.09	1.30	1.77	0.75	0.61	0.25	0.56	0.38	-0.15
■ <i>Theresa</i>	0.98	1.39	1.65	0.88	0.75	0.60	0.77	0.54	0.36
■ <i>Tourm. Plateau</i>	0.48	0.65	1.26	0.95	0.92	0.60	0.95	0.82	0.35
■ <i>Uranus Glacier</i>	0.49	1.66	2.23	0.99	0.81	0.49	0.99	0.58	0.22

<sup>a</sup> Indicates stations used as predictors by S09 but, because they are more than 120km from the nearest AVHRR grid cell, were not used in this study.

## S5. Verification statistics

TABLE S3. Station-by-station results for rms error ( $\mu_{rms}$ ), correlation coefficient ( $r$ ), and coefficient-of-efficiency (CE) when that station is entirely withheld from the reconstruction. Stations that were never used as predictors for this study are italicized. Note: The 1982 – 2006 period of the S09 reconstruction is entirely instrumental data (the rank-3 AVHRR data).

Name	$\mu_{rms}$			$r$			CE		
	RLS	E-W	S09	RLS	E-W	S09	RLS	E-W	S09
<i>Manned Ground Stations</i>									
■ Adelaide	1.30	1.62	2.13	0.87	0.77	0.59	0.72	0.57	0.25
■ Amundsen Scott	1.70	1.91	2.00	0.71	0.60	0.55	0.50	0.36	0.25
■ Arturo Prat	0.79	1.06	1.56	0.88	0.77	0.34	0.77	0.58	0.10
■ Asuka	1.00	1.18	1.29	0.78	0.69	0.59	0.61	0.47	0.35
■ Belgrano I	2.53	2.77	3.24	0.74	0.73	0.38	0.45	0.35	0.10
■ Belgrano II	1.25	1.16	1.46	0.75	0.74	0.50	0.43	0.51	0.23
■ Byrd	2.41	2.60	2.61	0.61	0.55	0.51	0.37	0.27	0.26
■ Campbell <sup>a</sup>	-	-	-	-	-	-	-	-	-
■ Casey	1.36	1.62	1.80	0.79	0.72	0.58	0.62	0.46	0.32
■ Davis	0.83	1.14	1.65	0.92	0.89	0.66	0.85	0.72	0.42
■ Deception <sup>a</sup>	0.76	1.34	1.88	0.90	0.77	0.42	0.81	0.42	0.03
■ Dumont Durville	1.09	1.27	1.50	0.79	0.71	0.53	0.62	0.48	0.28
■ Esperanza	1.28	1.35	2.43	0.87	0.85	0.39	0.75	0.72	0.09
■ Faraday	1.77	2.21	2.30	0.68	0.43	0.30	0.46	0.16	0.09
■ Ferraz <sup>a</sup>	-	-	-	-	-	-	-	-	-
■ Great Wall <sup>a</sup>	-	-	-	-	-	-	-	-	-
■ Grytviken <sup>a</sup>	-	-	-	-	-	-	-	-	-
■ Halley	2.21	2.46	2.54	0.61	0.42	0.29	0.31	0.15	0.08
■ Jubany <sup>a</sup>	-	-	-	-	-	-	-	-	-
■ King Sejong <sup>a</sup>	-	-	-	-	-	-	-	-	-
■ Leningradskaja	1.10	1.19	1.42	0.77	0.72	0.55	0.58	0.51	0.30
■ Macquarie	-	-	-	-	-	-	-	-	-
■ Marambio	1.38	1.65	2.89	0.89	0.84	0.28	0.79	0.69	0.06
■ Mario Zucchelli	0.95	1.20	1.58	0.85	0.74	0.49	0.73	0.55	0.23
■ Marsh <sup>a</sup>	-	-	-	-	-	-	-	-	-
■ Mawson	1.02	1.22	1.43	0.87	0.82	0.72	0.73	0.61	0.46
■ McMurdo	1.01	1.27	1.82	0.92	0.85	0.69	0.82	0.72	0.42
■ Mirny	0.92	1.49	1.46	0.89	0.68	0.75	0.79	0.46	0.48
■ Molodeznaja	0.99	1.29	1.32	0.80	0.61	0.58	0.63	0.37	0.33
■ Neumayer	1.89	2.15	2.06	0.58	0.38	0.46	0.33	0.13	0.21

TABLE S3. Continued.

Name	$\mu_{rms}$			$r$			CE		
	RLS	E-W	S09	RLS	E-W	S09	RLS	E-W	S09
■ Novolazarevskaya	1.24	1.40	1.41	0.73	0.67	0.63	0.52	0.39	0.37
■ O'Higgins	0.64	0.96	1.59	0.92	0.82	0.34	0.64	0.67	0.09
■ Orcadas <sup>a</sup>	-	-	-	-	-	-	-	-	-
■ Rothera	1.45	1.71	2.38	0.82	0.77	0.18	0.64	0.50	0.03
■ Russkaya	2.31	2.28	2.35	0.69	0.72	0.67	0.39	0.41	0.37
■ San Martin	1.78	2.00	2.22	0.67	0.50	0.17	0.37	0.20	0.01
■ Scott Base	0.84	1.40	2.09	0.95	0.87	0.68	0.90	0.73	0.39
■ Signy <sup>a</sup>	-	-	-	-	-	-	-	-	-
■ Syowa	1.07	1.42	1.52	0.81	0.60	0.52	0.64	0.36	0.27
■ Vostok	1.62	1.72	1.72	0.74	0.70	0.70	0.54	0.49	0.49
■ Zhongshan	0.87	1.31	1.73	0.92	0.85	0.63	0.84	0.65	0.39

AWS Stations

■ Bonaparte Point	0.71	0.86	1.44	0.87	0.78	0.21	0.73	0.61	-0.10
■ Butler Island	2.03	2.26	2.45	0.67	0.85	0.44	0.44	0.31	0.19
■ Byrd	2.47	2.42	2.46	0.70	0.72	0.68	0.42	0.45	0.42
■ Cape Denison	0.86	0.82	1.17	0.77	0.79	0.56	0.58	0.62	0.21
■ Cape King	0.59	0.81	1.44	0.94	0.92	0.60	0.89	0.80	0.37
■ Cape Phillips	0.77	0.87	1.42	0.89	0.86	0.53	0.79	0.73	0.28
■ Cape Ross	0.95	1.04	1.68	0.88	0.85	0.54	0.77	0.72	0.28
■ Clean Air	0.87	1.30	1.90	0.93	0.84	0.60	0.87	0.70	0.35
■ D10	0.83	1.22	1.56	0.92	0.83	0.63	0.83	0.63	0.40
■ D47	1.17	1.24	1.53	0.80	0.73	0.57	0.58	0.53	0.29
■ D57	1.37	1.47	1.81	0.73	0.68	0.46	0.52	0.45	0.16
■ D80	1.47	1.71	1.83	0.85	0.81	0.74	0.71	0.61	0.55
■ Dome C II	1.64	1.61	1.65	0.72	0.70	0.70	0.45	0.47	0.44
■ Doug	1.21	1.51	1.60	0.85	0.76	0.71	0.71	0.55	0.50
■ Drescher	1.30	1.71	2.07	0.85	0.80	0.50	0.70	0.48	0.24
■ Elaine	1.73	2.44	3.05	0.89	0.83	0.56	0.78	0.55	0.31
■ Elizabeth	1.54	1.72	2.38	0.86	0.87	0.58	0.72	0.65	0.33
■ Enigma Lake	0.69	0.94	1.47	0.92	0.86	0.55	0.84	0.71	0.29
■ Erin	1.28	1.32	1.68	0.81	0.80	0.59	0.62	0.59	0.34
■ Ferrell	1.13	1.39	2.25	0.93	0.93	0.69	0.86	0.78	0.43
■ GC41	2.75	2.97	3.06	0.61	0.52	0.48	0.37	0.27	0.22
■ GEO3	1.16	1.33	1.58	0.87	0.82	0.72	0.74	0.66	0.52
■ GF08	1.30	1.63	1.63	0.85	0.82	0.78	0.72	0.57	0.57
■ Gill	1.26	1.91	2.66	0.93	0.91	0.68	0.87	0.70	0.42
■ Harry	1.29	1.44	1.90	0.85	0.82	0.61	0.71	0.63	0.37
■ Henry	0.89	1.14	1.48	0.91	0.88	0.74	0.83	0.72	0.52

TABLE S3. Continued.

Name	$\mu_{rms}$			$r$			CE		
	RLS	E-W	S09	RLS	E-W	S09	RLS	E-W	S09
■ <i>LGB10</i>	0.90	1.33	1.42	0.89	0.68	0.72	0.80	0.55	0.49
■ <i>LGB20</i>	0.97	1.28	1.31	0.89	0.80	0.78	0.79	0.63	0.61
■ <i>LGB35</i>	0.94	1.26	1.44	0.89	0.79	0.72	0.78	0.62	0.49
■ <i>LGB59</i>	1.23	1.33	1.49	0.78	0.68	0.64	0.54	0.46	0.33
■ <i>Larsen Ice Shelf</i>	1.73	1.87	2.48	0.80	0.69	0.26	0.64	0.47	0.07
■ <i>Law Dome Sum.</i>	1.18	1.40	1.70	0.84	0.81	0.62	0.70	0.58	0.37
■ <i>Lettau</i>	1.26	2.04	2.90	0.94	0.90	0.62	0.88	0.68	0.36
■ <i>Limbert</i>	1.42	1.87	2.21	0.82	0.70	0.45	0.67	0.43	0.20
■ <i>Linda</i>	1.28	1.54	2.33	0.89	0.88	0.62	0.79	0.70	0.36
■ <i>Lynn</i>	1.27	1.04	1.47	0.78	0.87	0.70	0.61	0.75	0.49
■ <i>Manuela</i>	0.73	0.89	1.33	0.90	0.86	0.63	0.81	0.71	0.37
■ <i>Marble Point</i>	0.73	0.98	1.82	0.95	0.92	0.59	0.89	0.81	0.34
■ <i>Marilyn</i>	1.10	1.38	2.03	0.90	0.88	0.58	0.89	0.70	0.34
■ <i>Minna Bluff</i>	1.72	1.31	1.62	0.75	0.76	0.57	0.22	0.55	0.31
■ <i>Mount Siple</i>	1.75	1.73	1.60	0.56	0.58	0.66	0.30	0.32	0.42
■ <i>Nansen Ice Sheet</i>	0.81	0.96	1.44	0.90	0.88	0.63	0.81	0.73	0.39
■ <i>Nico</i>	0.68	0.91	1.64	0.95	0.90	0.66	0.89	0.81	0.36
■ <i>Pegasus North</i>	0.80	1.24	1.99	0.95	0.89	0.58	0.89	0.74	0.33
■ <i>Pegasus South</i>	0.99	1.43	2.28	0.94	0.89	0.59	0.87	0.73	0.32
■ <i>Penguin Point</i>	0.99	0.96	1.34	0.78	0.78	0.53	0.58	0.58	0.24
■ <i>Port Martin</i>	0.77	0.85	1.07	0.86	0.84	0.67	0.71	0.65	0.44
■ <i>Priestley Glacier</i>	0.81	0.97	1.41	0.88	0.85	0.57	0.78	0.70	0.33
■ <i>Relay Station</i>	1.05	1.49	1.48	0.88	0.74	0.75	0.78	0.55	0.56
■ <i>Santa Claus Isl.</i>	0.84	0.82	1.19	0.81	0.76	0.33	0.55	0.57	0.10
■ <i>Schwerdtfeger</i>	1.08	1.60	2.45	0.93	0.90	0.57	0.86	0.71	0.32
■ <i>Siple</i>	2.22	1.97	1.76	0.41	0.57	0.70	0.11	0.30	0.44
■ <i>Sutton</i>	1.09	1.29	1.77	0.75	0.62	0.25	0.56	0.38	-0.15
■ <i>Theresa</i>	0.98	1.38	1.65	0.88	0.75	0.60	0.77	0.55	0.36
■ <i>Tourm. Plateau</i>	0.77	0.74	1.26	0.88	0.89	0.60	0.75	0.78	0.35
■ <i>Uranus Glacier</i>	1.82	1.87	2.23	0.70	0.72	0.49	0.49	0.46	0.22

<sup>a</sup> Indicates stations used as predictors by S09 but, because they are more than 120km from the nearest AVHRR grid cell, were not used in this study.

## S6. Reconstructions using TTLS infilling of ground stations

TABLE S4. Comparison of 1957 – 2006 trends (in  $^{\circ}\text{C decade}^{-1}$ ) between the IRidge reconstructions in the main text (bolded) and the TTLS reconstructions by truncation parameter  $k_{\text{gnd}}$ . Reconstructions using the optimal setting of  $k_{\text{gnd}}$  are underlined.

Reconstruction Type	Continent	East Antarctica	West Antarctica	Peninsula
<b>RLS, IRidge</b>	<b><math>0.06 \pm 0.08</math></b>	<b><math>0.03 \pm 0.09</math></b>	<b><math>0.10 \pm 0.09</math></b>	<b><math>0.35 \pm 0.11</math></b>
RLS, TTLS, $k_{\text{gnd}}=5$	$0.10 \pm 0.09$	$0.04 \pm 0.10$	$0.21 \pm 0.11$	$0.52 \pm 0.14$
RLS, TTLS, $k_{\text{gnd}}=6$	$0.09 \pm 0.09$	$0.03 \pm 0.10$	$0.20 \pm 0.11$	$0.50 \pm 0.14$
<b><u>RLS, TTLS, <math>k_{\text{gnd}}=7</math></u></b>	<b><u><math>0.07 \pm 0.09</math></u></b>	<b><u><math>0.05 \pm 0.09</math></u></b>	<b><u><math>0.07 \pm 0.07</math></u></b>	<b><u><math>0.36 \pm 0.11</math></u></b>
RLS, TTLS, $k_{\text{gnd}}=8$	$0.07 \pm 0.09$	$0.05 \pm 0.09$	$0.11 \pm 0.08$	$0.38 \pm 0.12$
<b>E-W, IRidge</b>	<b><math>0.04 \pm 0.06</math></b>	<b><math>0.02 \pm 0.07</math></b>	<b><math>0.06 \pm 0.07</math></b>	<b><math>0.32 \pm 0.09</math></b>
E-W, TTLS, $k_{\text{gnd}}=5$	$0.07 \pm 0.07$	$0.04 \pm 0.07$	$0.10 \pm 0.08$	$0.39 \pm 0.09$
E-W, TTLS, $k_{\text{gnd}}=6$	$0.07 \pm 0.06$	$0.04 \pm 0.07$	$0.09 \pm 0.08$	$0.37 \pm 0.09$
<b><u>E-W, TTLS, <math>k_{\text{gnd}}=7</math></u></b>	<b><u><math>0.07 \pm 0.06</math></u></b>	<b><u><math>0.05 \pm 0.07</math></u></b>	<b><u><math>0.05 \pm 0.06</math></u></b>	<b><u><math>0.33 \pm 0.09</math></u></b>
E-W, TTLS, $k_{\text{gnd}}=8$	$0.07 \pm 0.07$	$0.05 \pm 0.07$	$0.11 \pm 0.07$	$0.32 \pm 0.08$




FIGURE S3. RLS reconstructions using TTLS-infilled ground stations. Minimum cross-validation error was obtained with  $k_{\text{gnd}} = 7$ .




FIGURE S4. E-W reconstructions using TTLS-infilled ground stations. Minimum cross-validation error was obtained with  $k_{\text{gnd}} = 7$ .